



SPECIFICATIONS AND FEATURES

- Matte black finish.
- Cage style shade.
- E27 medium lamp size (Max 40w)
- 127cm cord length.
- Height 155cm.
- Shade diameter 20cm.





Installation

Refer to instruction manual for installation specifics and additional warnings. Installation to be carried out by a qualified electrician only.

Warranty





SPECIFICATIONS AND FEATURES

- Washed copper finish.
- Industrial style shade.
- E27 medium lamp size (Max 40w)
- 3 x 24cm rods to customise height.
- Max height 100cm.
- Shade diameter 20cm.





Installation

Refer to instruction manual for installation specifics and additional warnings. Installation to be carried out by a qualified electrician only.

Warranty





SPECIFICATIONS AND FEATURES

- Brushed copper finish.
- Contemporary style shade.
- E27 medium lamp size (Max 40w)
- Cord length 127cm.
- Max height 152cm.
- Shade diameter 26cm.





Installation

Refer to instruction manual for installation specifics and additional warnings. Installation to be carried out by a qualified electrician only.

Warranty





SPECIFICATIONS AND FEATURES

- Matte black finish.
- Globe cage style shade.
- E27 medium lamp size (Max 40w)
- Cord length 127cm.
- Max height 147cm.
- Shade diameter 20cm.





Installation

Refer to instruction manual for installation specifics and additional warnings. Installation to be carried out by a qualified electrician only.

Warranty





SPECIFICATIONS AND FEATURES

- Matte black finish.
- Algled bell cage style shade.
- E27 medium lamp size (Max 40w)
- Cord length 127cm.
- Max height 146cm.
- Shade diameter 19cm.





Installation

Refer to instruction manual for installation specifics and additional warnings. Installation to be carried out by a qualified electrician only.

Warranty





SPECIFICATIONS AND FEATURES

- Matte black finish.
- Crystal prism cage style shade.
- E27 medium lamp size (Max 40w)
- Cord / chain length 91cm.
- Max height 129cm.
- Shade diameter 41cm.





Installation

Refer to instruction manual for installation specifics and additional warnings. Installation to be carried out by a qualified electrician only.

Warranty







SPECIFICATIONS AND FEATURES

- Brushed nickel finish.
- Frosted acrylic shade.
- Rated to 25000 hours / 22 years.
- Fixture lumens 1300, Light source lumens 1800.
- Integrated LED.
- 28cm diameter.
- · 6cm height.
- · Dimmable.





Installation

Refer to instruction manual for installation specifics and additional warnings. Installation to be carried out by a qualified electrician only.

Warranty





SPECIFICATIONS AND FEATURES

- Brushed nickel finish.
- Crackle glass style shade.
- E27 medium lamp size (Max 40w)
- Cord length 127cm.
- Max height 161cm.
- Shade diameter 19cm.





Installation

Refer to instruction manual for installation specifics and additional warnings. Installation to be carried out by a qualified electrician only.

Warranty





SPECIFICATIONS AND FEATURES

- Hammered brushed nickel finish.
- Contemporary style shade.
- E27 medium lamp size (Max 40w)
- 3 x 24cm rods to customise height.
- Max height 150cm.
- Shade diameter 26cm.





Installation

Refer to instruction manual for installation specifics and additional warnings. Installation to be carried out by a qualified electrician only.

Warranty





SPECIFICATIONS AND FEATURES

- Brushed nickel finish.
- Frosted opal glass with cage style shade.
- E27 medium lamp size (Max 40w)
- Cord / chain length 91cm.
- Max height 120cm.
- Shade diameter 40cm.





Installation

Refer to instruction manual for installation specifics and additional warnings. Installation to be carried out by a qualified electrician only.

Warranty





SPECIFICATIONS AND FEATURES

- Chrome finish.
- Clear hammered glass style shade.
- E27 medium lamp size (Max 40w)
- Cord length 127cm.
- Max height 159cm.
- Shade diameter 23cm.





Installation

Refer to instruction manual for installation specifics and additional warnings. Installation to be carried out by a qualified electrician only.

Warranty





SPECIFICATIONS AND FEATURES

- Oil rubbed bronze finish.
- Old world cage style shade.
- Uses 3 x E14 lamp size (Max 40w)
- Cord / chain length 91cm.
- Max height 130cm.
- Shade diameter 38cm.





Installation

Refer to instruction manual for installation specifics and additional warnings. Installation to be carried out by a qualified electrician only.

Warranty





SPECIFICATIONS AND FEATURES

- Brushed nickel finish.
- Old world cage style shade.
- Uses 3 x E14 lamp size (Max 40w)
- Cord / chain length 91cm.
- Max height 130cm.
- Shade diameter 38cm.





Installation

Refer to instruction manual for installation specifics and additional warnings. Installation to be carried out by a qualified electrician only.

Warranty





SPECIFICATIONS AND FEATURES

- · Chrome finish.
- Clear glass style shade.
- E27 medium lamp size (Max 40w)
- Cord length 127cm.
- Max height 151cm.
- Shade diameter 24cm.





Installation

Refer to instruction manual for installation specifics and additional warnings. Installation to be carried out by a qualified electrician only.

Warranty





SPECIFICATIONS AND FEATURES

- Matte black finish.
- Amber & matte black glass style shade.
- E27 medium lamp size (Max 40w)
- Cord length 127cm.
- Max height 166cm.
- Shade diameter 22cm.





Installation


Refer to instruction manual for installation specifics and additional warnings. Installation to be carried out by a qualified electrician only.

Warranty



LED FLUSH FINISH LIGHT





6401235

SPECIFICATIONS AND FEATURES

- Brushed nickel finish.
- White acrylic shade.
- Rated to 25000 hours / 22 years.
- Fixture lumens 1610, Light source lumens 1900.
- 25W ntegrated LED.
- 40cm diameter.
- 9cm height.
- · Dimmable.





Installation

Refer to instruction manual for installation specifics and additional warnings. Installation to be carried out by a qualified electrician only.

Warranty



URBAN GALE CEILING FAN





7202135

SPECIFICATIONS AND FEATURES

0. 200	
Size	132 cm
Blades	White ABS Blades
Blade Pitch	15°
Approved Location	
Suggested Room Size	Large Room (up to 6 x 6 m)
Down Rod	1 cm x 30 cm
Installation	Down Rod Only
Max. Ceiling Angle	25°
Lead Wire	36 cm
Light Bulb Usage	
Control	
Motor Finish	
Motor Material	AC Motor 171 mm x 13.5 mm
Reverse Airflow	No
Capacitor	
Switch Housing Cap	Not Included





Installation

Refer to instruction manual for installation specifics and additional warnings. Installation to be carried out by a qualified electrician only.

Warranty







SPECIFICATIONS AND FEATURES

SI ECII ICATIONS AND I EATONES	
Size	122 cm
Blades	Reversible Blades
(Graphite/Light Maple)	
Blade Pitch	
Approved Location	. Indoor
Suggested Room Size	. Large Room (up to 5 x 5 m)
Down Rod	2 cm x 10 cm
Installation	
Max. Ceiling Angle	. 19°
Lead Wire	
Light Bulb Usage	. Includes 17 Watt Integrated LED
Control	Wall Control Included
Motor Finish	
Motor Material	.AC Motor 153 mm x 17 mm
Reverse Airflow	Yes
Capacitor	. Triple
Switch Housing Cap	.Not Included



Refer to instruction manual for installation specifics and additional warnings. Installation to be carried out by a qualified electrician only.





INDUSTRIAL CEILING FAN





7205635

SPECIFICATIONS AND FEATURES

Size...... 122 cm Blades..... Stainless Steel Blades Blade Pitch...... 8° Approved Location...... Indoor Suggested Room Size...... Industrial Down Rod...... 1 cm x 20 cm Installation......Down Rod Only Max. Ceiling Angle......21° Lead Wire......25 cm Light Bulb Usage.....N/A Control......Wall Control Included Motor Finish......Chrome Motor Material.....AC Motor 171 mm x 13.5 mm Capacitor...... Triple Switch Housing Cap.....Not Included





Installation

Refer to instruction manual for installation specifics and additional warnings. Installation to be carried out by a qualified electrician only.

Warranty







SPECIFICATIONS AND FEATURES

Blades...... Silver ABS Blades Blade Pitch......14° Approved Location...... Indoor Suggested Room Size......Great Room (up to 6 x 6 m) Down Rod...... 2 cm x 10 cm Installation......Down Rod Only Max. Ceiling Angle...... 15 Lead Wire...... 15 cm Light Bulb Usage...... Includes 17 Watt Integrated LED Control......Wall Control Included Motor Finish.....Brushed Nickel Motor Material.....AC Motor 153 mm x 20 mm Capacitor......Triple Switch Housing Cap.....Not Included



Installation

Refer to instruction manual for installation specifics and additional warnings. Installation to be carried out by a qualified electrician only.

Warranty





SPECIFICATIONS AND FEATURES

Blades......White Blades Blade Pitch...... 12° Approved Location...... Indoor Suggested Room Size.....Large Room (up to 5 x 5 m) Down Rod...... 2 cm x 10 cm Installation......Down Rod Only Max. Ceiling Angle...... 15 Lead Wire...... 15 cm Light Bulb Usage...... Includes 17 Watt Integrated LED Control......Wall Control Included Motor Finish...... White Motor Material.....AC Motor 153 mm x 17 mm Capacitor......Triple Switch Housing Cap.....Not Included



Installation

Refer to instruction manual for installation specifics and additional warnings. Installation to be carried out by a qualified electrician only.

Warranty





SPECIFICATIONS AND FEATURES

Size...... 132 cm Blades.....Reversible Blades (Silver/Graphite) Blade Pitch......11° Approved Location...... Indoor Suggested Room Size.....Large Room (up to 5 x 5 m) Down Rod...... 1 cm x 10 cm Installation.....Down Rod Only Max. Ceiling Angle...... 15 Lead Wire...... 15 cm Light Bulb Usage...... Includes 17 Watt Integrated LED Control......Wall Control Included Motor Finish.....Brushed Aluminum Motor Material.....AC Motor 153 mm x 17 mm Reverse Airflow.......Yes Capacitor...... Triple Switch Housing Cap.....Not Included





Installation

Refer to instruction manual for installation specifics and additional warnings. Installation to be carried out by a qualified electrician only.

Warranty







SPECIFICATIONS AND FEATURES

Size	. 132 cm
Blades	Wengue Blades
Blade Pitch	. 12°
Approved Location	Indoor
Suggested Room Size	. Large Room (up to 5 x 5 m)
Down Rod	. 2 cm x 10 cm
Installation	
Max. Ceiling Angle	. 15 °
Lead Wire	. 15 cm
Light Bulb Usage	. Includes 17 Watt Integrated LED
Control	
Motor Finish	
Motor Material	AC Motor 153 mm x 17 mm
Reverse Airflow	. Yes
Capacitor	
Switch Housing Cap	.Not Included





Installation

Refer to instruction manual for installation specifics and additional warnings. Installation to be carried out by a qualified electrician only.

Warranty





SPECIFICATIONS AND FEATURES

Size...... 132 cm Blades.....Reversible Blades (White/White Washed Pine) Blade Pitch...... 12° Approved Location...... Indoor Suggested Room Size.....Large Room (up to 5 x 5 m) Down Rod...... 2 cm x 10 cm Installation...... Combo Max. Ceiling Angle......15 Lead Wire...... 15 cm Light Bulb Usage...... Includes 17 Watt Integrated LED Control......Remote Control Adaptable Motor Finish...... White Motor Material.....AC Motor 153 mm x 17 mm Reverse Airflow...... Yes Capacitor...... Triple Switch Housing Cap.....Not Included



Installation

Refer to instruction manual for installation specifics and additional warnings. Installation to be carried out by a qualified electrician only.

Warranty





SPECIFICATIONS AND FEATURES

Size...... 107 cm Blades.....Reversible Blades (Black/Graphite) Blade Pitch......13.5° Approved Location...... Indoor Suggested Room Size......Large Room (up to 5 x 5 m) Down Rod...... 2 cm x 10 cm Installation.....Down Rod Only Max. Ceiling Angle...... 13° Lead Wire...... 15 cm Light Bulb Usage...... Includes 17 Watt Integrated LED Control......Remote Control Adaptable Motor Finish.....Gun Metal Motor Material.....AC Motor 145 mm x 12 mm Reverse Airflow.......Yes Capacitor...... Triple Switch Housing Cap.....Not Included





Installation

Refer to instruction manual for installation specifics and additional warnings. Installation to be carried out by a qualified electrician only.

Warranty